

Plat Name: Chevy Chase, Section 5
Plat #: 220120330

Location: Located on the east side of Brookville Road (MD 186), 250 feet north of Thornapple Street
Master Plan: Bethesda-Chevy Chase
Plat Details: R-60 zone; 1 lot
Community Water, Community Sewer
Applicant: Lacy Rice

Staff recommends approval of this minor subdivision plat pursuant to Section 50-35A (a)(3) of the Subdivision Regulations, which states:

Consolidation of Two or More Lots or a Part of a lot into One Lot. Consolidating more than one lot into a single lot is permitted under the minor subdivision procedure provided:

- a. Any conditions applicable to the original subdivision remain in full force and effect and the number of trips generated on the new lot do not exceed those permitted for the original lots or as limited by an Adequate Public Facilities agreement.
- b. Any consolidation involving a part of a lot may occur under the minor subdivision process if the part of a lot was created by deed recorded prior to June 1, 1958

Staff applied the above-noted minor subdivision criteria for the lot included in this application and concludes that the proposed subdivision complies with the requirements of Section 50-35A(a)(3) and supports this minor subdivision record plat.

MINOR SUBDIVISION PLAT REVIEW SHEET

(This form contains 3 pages)

Plat Name: Cherry Chase Section 5 Plat Number: 220120330
 Plat Submission Date: 9-28-2011
 DRD Plat Reviewer: S. Smith
 DRD Prelim Plan Reviewer: N/A

*For category of minor subdivision see pages 2 and 3

Initial DRD Review:

Pre-Preliminary Plan No. _____ Checked: Initial _____ Date _____
 Preliminary Plan No. _____ Checked: Initial _____ Date _____
 Planning Board Opinion - Date _____ Checked: Initial _____ Date _____
 Site Plan Name if applicable: _____ Site Plan Number: _____
 Planning Board Opinion - Date _____ Checked: Initial _____ Date _____

Lot # & Layout Lot Area Zoning Bearings & Distances Coordinates ok
 Plan # ok Road/Alley Widths ok Easements _____ Open Space N/A Non-standard _____
 BRLs N/A Adjoining Land Vicinity Map Septic/Wells N/A
 TDR note N/A Child Lot note N/A Surveyor Cert Owner Cert Tax Map
 SPA N/A

Agency Reviews Req'd	Reviewer	Date Sent	Due Date	Date Rec'd	Comments
Environment	Evelyn Gibson	9-29-11	10/14/11	10-12-11	See comments
Research	Bobby Fleury			10-4-11	ok
SHA	Corren Giles			10-14-11	Phone Message ok
PEPCO	Bobbie Dickey				
Parks	Doug Powell				
DRD	Keiona Clark				

Final DRD Review:

	Initial	Date
Consultant Notified (Final Mark-up):	<u>WM</u>	<u>12/3/11</u>
Final Mylar & DXF/DWG Received:	<u>SOS</u>	<u>12-15-11</u>
Final Mylar Review Complete:	<u>SOS</u>	<u>12/20/2011</u>
Board Approval of Plat:		
Plat Agenda:	<u>SOS</u>	<u>1-12-2012</u>
Planning Board Approval:	_____	_____
Chairman's Signature:	_____	_____
MCDPS Approval of Plat:		
Consultant Pick-up for DPS Signature:	_____	_____
Final Mylar for Reproduction Rec'd:	_____	_____
Plat Reproduction:		
Addressing:	_____	_____
File Card Update:	_____	_____
Final Zoning Book Check:	_____	_____
Update Address Books with Plat #:	_____	_____
Update Green Books for Resubdivision:	_____	_____
Complete Reproduction:	_____	_____
Notify Consultant to Seal Plats:	_____	_____
Surveyor's Seal Complete:	_____	_____
Sent to Courthouse for Recordation:	_____	_____
Recordation Info Entered into Hansen	_____	_____

No. _____

MINOR SUBDIVISION SECTION 50-35A

Select which Category of Minor Subdivision and fill information as required

Requirements under Sec 50-35A (A)

(1) Minor Lot Adjustment

- a) Total area does not exceed 5% of combined area affected: _____
- b) No additional lots created: _____
- c) Adjusted line is approximately parallel/does not significantly change shape of the lots: _____
- d) Date sketch plan submitted: _____
- e) Sketch plan revised or denied within 10 business days: _____
- f) Final record plat submitted within ninety days: _____
- g) Sketch shows following information:
 - i. proposed lot adjustment: _____
 - ii. physical improvements within 15 feet of adjusted line: _____
 - iii. alteration to building setback: _____
 - iv. amount of lot area affected: _____

(2) Conversion of Outlot into a Lot

- a) Outlot not required for open space or otherwise constrained: _____
- b) Adequate sewerage and water service/public or private: _____
- c) Adequate public facilities and AGP satisfied: _____
- d) Any conditions/agreements of original subdivision: _____
- e) Special Protection Area, Water Quality Plan required: _____

(3) Consolidation Of Two of More Lots

- a) Any prior subdivision conditions: _____
- b) Part of lot created by deed prior to June 1 1958: pk
N/A

(4) Further Subdivision of Commercial/Industrial/Multi-Family Lot

Any subdivision/conditions; APF agreement satisfied: _____

(5) Plat of Correction

- a) All owners and trustees signed: _____
- b) Original Plat identified: _____

(6) Plats for Residentially Zoned Parcels Created by Deed prior to June 1958

- a) Deed(s) submitted: _____
- b) Developable with only one single family detached unit: _____

(7) Plat for Existing Places of Worship, Private Schools, Country Club, Private Institution, and Similar Uses located on Unplatted Parcels

- a) Adequate Public Facilities satisfied: _____
- b) Street dedication required: _____
- c) Forest conservation: _____
- d) Storm water management: _____
- e) Special Protection Area/Water Quality Plan: _____
- f) Landscaping and lighting plan including parking lot layout: _____
- g) Approved Special Exception: _____