

Plat Name: Valley Stream Estates
Plat #: 220130820

Location: Located at the terminus of Red Cedar Lane, 550 feet northeast of Red Cedar Drive.
Master Plan: Fairland Master Plan
Plat Details: R-200 zone; 1 lot
Community Water, Community Sewer
Owner: Dana Preister

Staff recommends approval of this minor subdivision plat pursuant to **Section 50-35A (a)(9)** of the Subdivision Regulations, which states:

Parcels that satisfy Section 59-B-8.1 of Chapter 59 may be platted under the minor subdivision procedure if:

- (A) Any required street dedication along the frontage of the proposed lots is shown on the record plat.
- (B) There is adequate sewerage and water service to the property, which may be either public service or approved private septic system/private well.

Staff applied the above-noted minor subdivision criteria for the property included in this application and concludes that the proposed subdivision complies with the requirements of Section 50-35A(a)(9) and supports this minor subdivision record plat.

MINOR SUBDIVISION PLAT REVIEW SHEET

(This form contains 3 pages)

Plat Name: VALLEY STREAM ESTATES Plat Number: 220120820

Plat Submission Date: 11-20-2012

DRD Plat Reviewer: S. Smith

DRD Prelim Plan Reviewer: N/A

*For category of minor subdivision see pages 2 and 3

Initial DRD Review:

Pre-Preliminary Plan No. _____ Checked: Initial _____ Date _____

Preliminary Plan No. _____ Checked: Initial _____ Date _____

Planning Board Opinion - Date _____ Checked: Initial _____ Date _____

Site Plan Name if applicable: _____ Site Plan Number: _____

Planning Board Opinion - Date _____ Checked: Initial _____ Date _____

Lot # & Layout ok Lot Area ✓ Zoning ok Bearings & Distances ok Coordinates ✓
 Plan # N/A Road/Alley Widths ok Easements ok Open Space N/A Non-standard
 BRLs N/A Adjoining Land ok Vicinity Map ✓ Septic/Wells N/A
 TDR note N/A Child Lot note N/A Surveyor Cert ✓ Owner Cert ✓ Tax Map ✓
 SPA N/A

Agency Reviews Req'd	Reviewer	Date Sent	Due Date	Date Rec'd	Comments
Environment	Evelyn Gibson	11/20/12	12/7/12	12-3-12	FCP AT SDC? P/LF OK
Research	Bobby Fleury			11-26-12	OK
SHA	Corren Giles				
PEPCO	Bobbie Dickey				
Parks	Doug Powell				
DRD	Keiona Clark				

Final DRD Review:

Consultant Notified (Final Mark-up):

Initial

Date

Final Mylar & DXF/DWG Received:

SS

10/24/13

Final Mylar Review Complete:

HM

11/12/13

Board Approval of Plat:

HM

12/5/13

Plat Agenda:

HM

12/19/13

Planning Board Approval:

Chairman's Signature:

MCDPS Approval of Plat:

Consultant Pick-up for DPS Signature:

Final Mylar for Reproduction Rec'd:

Plat Reproduction:

Addressing:

File Card Update:

Final Zoning Book Check:

Update Address Books with Plat #:

Update Green Books for Resubdivision:

Complete Reproduction:

Notify Consultant to Seal Plats:

Surveyor's Seal Complete:

Sent to Courthouse for Recordation:

Recordation Info Entered into Hansen

No. _____

MINOR SUBDIVISION SECTION 50-35A

Select which Category of Minor Subdivision and fill information as required

Requirements under Sec 50-35A (A)

(1) Minor Lot Adjustment

- a) Total area does not exceed 5% of combined area affected: _____
- b) No additional lots created: _____
- c) Adjusted line is approximately parallel/does not significantly change shape of the lots: _____
- d) Date sketch plan submitted: _____
- e) Sketch plan revised or denied within 10 business days: _____
- f) Final record plat submitted within ninety days: _____
- g) Sketch shows following information:
 - i. proposed lot adjustment: _____
 - ii. physical improvements within 15 feet of adjusted line: _____
 - iii. alteration to building setback: _____
 - iv. amount of lot area affected: _____

(2) Conversion of Outlot into a Lot

- a) Outlot not required for open space or otherwise constrained: _____
- b) Adequate sewerage and water service/public or private: _____
- c) Adequate public facilities and AGP satisfied: _____
- d) Any conditions/agreements of original subdivision: _____
- e) Special Protection Area, Water Quality Plan required: _____

(3) Consolidation Of Two of More Lots

- a) Any prior subdivision conditions: _____
- b) Part of lot created by deed prior to June 1 1958: _____

(4) Further Subdivision of Commercial/Industrial/Multi-Family Lot

Any subdivision/conditions; APF agreement satisfied: _____

(5) Plat of Correction

- a) All owners and trustees signed: _____
- b) Original Plat identified: _____

(6) Plats for Residentially Zoned Parcels Created by Deed prior to June 1958

- a) Deed(s) submitted: _____
- b) Developable with only one single family detached unit: _____

(7) Plat for Existing Places of Worship, Private Schools, Country Club, Private Institution, and Similar Uses located on Unplatted Parcels

- a) Adequate Public Facilities satisfied: _____
- b) Street dedication required: _____
- c) Forest conservation: _____
- d) Storm water management: _____
- e) Special Protection Area/Water Quality Plan: _____
- f) Landscaping and lighting plan including parking lot layout: _____
- g) Approved Special Exception: _____

(8) *Plats for Certain Residential Lots in the RDT Zone; 5 Lot Maximum*

- a) Number of Lots: _____
- b) Written MCDPS approval of proposed septic area: _____
- c) Required street dedication: _____
- d) Easement for balance of property noting density and TDRS: _____
- e) Average lot size of 5 acres: _____
- f) Forest Conservation requirements met: _____

(9) *Parcels satisfying the provisions of Section 59-B-8.1 of Zoning Ordinance*

- a) Any required street dedication: _____
- b) Adequate sewerage/water service to the property: _____

N/A
OK

(10) *Combining an existing lot with adjoining property created by deed*

- a) Property is not located in an Agricultural Zone _____
- b) Partition of land is unable to be platted on its own _____
- c) Applicable conditions for existing lot remain in effect _____
- d) Required street dedication _____

(11) *Creation of Lot from part of a lot*

- a) Property contains legal one-family dwelling _____
- b) Subject property located in a one-family residential zone _____
- c) Conditions creating the original recorded lot remain _____